

HAZRUNOFF

PROJECT

Lessons learnt from accidents ECE incident

CEDRE

**Florence PONCET
Stéphane LE FLOCH**



Funded by
European Union
Civil Protection
and Humanitarian Aid

Crash, leakage, accident



Where is the product?

Atmosphere
Sea surface
Water column



What is the risk?



What could be the impact?

Humans
Environment



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Plan

I. Parameters



II. Short-term



III. Long-term



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Chapter 1

Parameters




I. Parameters

What can be found on a MSDS ?

physicochemical data

- Molecular weight
- Boiling point
- Fusion point
- Flash point
- Density
- Vapor pressure
- Solubility
- Viscosity



Laboratory

Ecotoxicity data

- LC50 (fish, rats...)
- Threshold Limit Value (TLV)



HAZRUNOFF
PROJECT




Funded by
European Union
Civil Protection
and Humanitarian Aid

Chemicals states

6

3 states possible

- Gas
- Liquid
- Solid



HNS behavior will depend on



Transport condition

The environment



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Physico-chemical properties

Density

Mass per unit volume

Floating or sinking

Solubility

Ability to dissolve in the water column

Dissolve or not

Viscosity

Flowing resistance

The spreading of the slick

Vapor pressure

Thermodynamic equilibrium between condensed phase/vapor

Evaporate or not

Source Cedre



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Predicting a behavior



Marine Nationale

Accident

Immediately

- **REACTIVITY**

State changes
Reaction with :

- Air
- Light
- Water
- Product

First hours,
days

- **SHORT-TERM**

**SEBC
Code**

- Physico-chemistry

After a week...

- **LONG-TERM**

Physico-chemistry
and
Toxicity and
Environment



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

HNS reactivity

Fast transformation of
the product



4 main reactions

With O₂ from
air

With water

With light

Polymerization
reaction



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

HNS reactivity

- With O₂ from air



Fire/Explosion


- With water

- With light

- Polymerization reaction

Flammability limits :

- Lower explosive limit – LEL
- Upper explosive limit - UEL




HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

HNS reactivity



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

HNS reactivity

- With O₂ from air

- With water

- With light

- Polymerization reaction



Chemical decomposition caused by light

T = several minutes to several months

Ex : N-nitrosoatrazine, Anthracene ...

Creation of toxic and/or explosive compound



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

HNS reactivity

- With O₂ from air

- With water

- With light

- Polymerization reaction

Addition of inhibitors but polymerization can happen

- Contamination
- Contact with rust
- High temperature long exposure
- Static electricity
- Heat source

Monomer becomes unstable



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Influence of parameters - keypoints

Global
behavior



Depends on physico-chemical properties and environment



Depends on time scale




Immediate
behavior



States changes



Reactivity : Air – Water
– Light – Polymerization



HAZRUNOFF
PROJECT




Funded by
European Union
Civil Protection
and Humanitarian Aid

Chapter 2



Short-term behavior




HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Behaviors classification



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Short term behavior - Thresholds



Vapor pressure

0,3 kPa

100 kPa

Negligible

Fast evaporation

Gas

Density
(/seawater)

1,03



Floater

Sinker




HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Short term behavior - Thresholds





HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Legal representation : SEBC Code



HNS classification

Example : Benzene

Physical state and appearance: Liquid.

Solubility in freshwater: 1,780 mg/litre at 20° C
1,830 mg/litre at 25° C

Specific Gravity: 0.8787 @ 15 C (Water = 1)

Vapor Pressure: 10 kPa (@ 20°C)

Evaporator

Limitation :

- Pure product
- In fresh water
- At 20°C



HAZRUNOFF
PROJECT




Funded by
European Union
Civil Protection
and Humanitarian Aid


Limit of the SEBC Code



Methanol
solubility = 100%
density = 0.8



Sulfuric acid
solubility = 100%
density = 1.84



Dimethyldisulfure
Solubility: not soluble
Density: 1.063



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Short-term behavior - Keypoints

Behavior ?



5 main behaviors
(G – E – F – D – S)

SEBC Code?



Based on : State -
Vapor pressure –
Solubility - Density

Limitation



Efficient tool,
differences with reality



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Chapter 3

Long-term behavior




HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Long term behavior



Environmental effects monitoring




Trophic chain

INOFF



Funded by
European Union
Civil Protection
and Humanitarian Aid

Influence of environmental parameters



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Influence of environmental parameters



Ex : Soybean oil



Response technique may evolve
through time



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Long-term behavior - Keypoints

Environment



Monitoring impact



Behavior?



Can evolve with various parameters

Responses techniques



Needs to adapt to the change of behavior



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid

Keypoints

Not only one behavior per compound

Emergency context → quick answer

Short-term → SEBC code

Long-term → Monitoring the environment

Perform research to assess precisely the behavior



HAZRUNOFF
PROJECT



Funded by
European Union
Civil Protection
and Humanitarian Aid



HAZRUNOFF

PROJECT



**Funded by European
Union Civil
Protection and
Humanitarian Aid**



<http://www.hazrunoff.eu/>



@hazrunoff

